

ORNITOLOGIA NEOTROPICAL

EDITOR

RAYMOND McNEIL

INDEX TO VOLUME 14, 2003

(Authors, key words, families, common names, latin names)

An International Journal of Neotropical Ornithology
published by

THE NEOTROPICAL ORNITHOLOGICAL SOCIETY

- Abundance, 195–200
Accipiter bicolor, 247–262
Accipiter cooperi, 39–46
Accipiter gundlachi, 215–231
Accipiter striatus fringilloides, 215–231
Accipiter striatus, 39–46, 233–246
Accipitridae, 267–268
Accipiter bicolor, 307–338
Accipiter superciliosus, 307–338
Actitis macularia, 201–214
Aeronantes montivagus, 545–548
Agelaius humeralis scopulus, 215–231
Agelaius phoeniceus, 515–530
Agelaius ruficapillus, 247–262
Aggressiveness, 121–125
Aguilucho Barreteado, 267–268
Albornoz, M., 345–351
Alder Flycatcher, 247–262
Altiplanicie de Nipe, 215–231
Altitudinal gradient, 195–200
Altitudinal migration, 195–200
Altitudinal movements, 195–200
Álvarez, A., 201–214
Alves, M. A. S., 433–440
Alzugaray, M. E., 415–418
Amarilla, L. A., 247–262
Amazilia lactea, 233–246
Amazilia tzucatl, 515–530
Amazilia versicolor, 233–246
Amazilia yucatanensis, 515–530
Amazona aestiva, 233–246, 247–262
Amazona aestiva, 295–305
Amazona albifrons, 515–530
Amazona amazonica, 307–338
Amazona barbadensis, 345–351
Amazona farinosa, 307–338
Amazona ochrocephala, 307–338
Amazonetta brasiliensis, 247–262
Amazonia, 307–338
Amazonian Antshrike, 47–65
Amblycercus holosericeus, 515–530
American Golden Plover, 39–46, 247–262
American Kestrel, 233–246
American White Pelican, 39–46
American Wigeon, 39–46
Amethyst Woodstar, 233–246
Ammodramus humeralis, 233–246, 247–262
Anabacerthia striaticollis, 67–78
Anabacerthia variegaticeps, 67–78
Anabazenops fuscus, 397–403
Anas americana, 39–46
Anas discors, 39–46
Andean cloud forest, 269–273
Andean Cock-of-the-Rock, 263–265
Andean Solitaire, 67–78
Andean Tapaculo, 121–125
Andes, 67–78, 156–171, 363–370
Anhinga anhinga, 247–262
Anhinga, 247–262
Anisognathus flavinucha, 67–78
Anisognathus notabilis, 67–78
Anodorhynchus hyacinthinus, 29–38
Ant swarms, 397–403
Antbirds, 289–294
Ant-following birds, 289–294
Anthracothorax nigricollis, 233–246, 307–338
Anthracothorax prevostii, 39–46
Anthus lutescens, 233–246, 247–262
Antillean avifauna, 441–467
Antilles, 441–467
Antilophia galeata, 233–246
Aparecido de San Diego, 215–231
Aphantochroa cirrochloris, 233–246
Aphrastura spinicauda, 353–362
Apis mellifera, 33
Aplomado Falcon, 233–246, 247–262
Ara chloroptera, 307–338
Ara macao, 307–338
Ara macao, 381–396
Ara severa, 307–338
Aramburú, R., 415–418
Aramides axillaris, 127–128
Aramides cajanea, 233–246, 247–262, 307–338, 515–530
Aramides saracura, 233–246
Aramides ypecaba, 247–262
Aramus guarana, 247–262, 515–530
Aratinga acuticaudata, 247–262
Aratinga leucophthalmus, 233–246, 247–262, 307–338
Aratinga nana, 515–530
Aratinga pertinax, 79–89

- Archilochus colubris*, 39–46
 Arctic Tern, 39–46
Ardea alba, 233–246, 247–262
Ardea cocoi, 247–262
Ardea herodias, 39–46
 Argentina, 15–22, 145–156, 353–362, 419–422, 499–513
 Army ants, 289–294
 Army-ant swarms, 289–294
Arremon flavirostris, 233–246, 247–262
Arremon taciturnus, 307–338
 Arriero, 215–231
 Arrowhead Piculet, 233–246
 Artificial light, 99–105
 Artificial nests, 345–351, 381–396
 Aruba, 79–89
 Ash-throated Crane, 233–246
 Ashy-tailed Swift, 233–246
Asio stygius signatus, 215–231
Asturina nitida, 307–338
Athene cunicularia, 233–246
 Atlantic forest, 397–403, 433–440
Atlapetes brunneinucha, 67–78
Atlapetes tricolor, 67–78
Atticora fasciata, 307–338
Attila cinnamomeus, 307–338
Attila spadiceus, 307–338
 Aura Tiñosa, 215–231
 Austral migration, 247–262
Automolus infuscatus, 47–65, 307–338
Automolus leucophthalmus, 233–246
Automolus ochrolaemus, 307–338
Automolus rubiginosus, 47–65
Automolus rufipileatus, 307–338
 Autumn bird migration, 39–46
 Avifauna, 233–246, 247–262, 515–530
 Ávila, P., 173–194
 Avoceta Americana, 201–214
Avocettula recurvirostris, 307–338
 Azpiroz, A. B., 117–119
 Azulejo, 215–231
 Baja California, 201–214
 Bananaquit, 233–246, 371–380
 Banding, 215–231
 Bank Swallow, 39–46, 247–262
 Bare-eyed Pigeon, 79–89
 Bare-necked Fruitcrow, 491–497
 Barn Owl, 233–246
 Barn Swallow, 39–46, 247–262
 Barred Antshrike, 233–246, 247–262
 Barred Becard, 67–78
 Barred Forest-Falcon, 247–262
 Barred Hawk, 267–268
Bartramia longicauda, 233–246, 247–262
Baryphthengus martii, 289–294, 307–338
Baryphthengus ruficapillus, 233–246
Basileuterus culicivorus, 233–246
Basileuterus flaveolus, 233–246, 247–262
Basileuterus hypoleucus, 233–246
Basileuterus rivularis, 307–338
Basileuterus tristriatus, 67–78
 Bat Falcon, 247–262
Batara cinerea, 247–262
 Bay-winged Cowbird, 247–262
 Bees, 33
 Behavior, 145–156
 Belize, 285–286
 Benegas, L., 15–22
 Bertolero, A., 469–475
 Bertsch, C., 345–351
 Beryl-spangled Tanager, 67–78
 Bicolored Antbird, 289–294
 Bicolored Hawk, 247–262
 Bien-te-veo, 215–231
 Bijirita Atigrada, 215–231
 Bijirita Azul de Garganta Negra, 215–231
 Bijirita Chica, 215–231
 Bijirita Común, 215–231
 Bijirita Coronada, 215–231
 Bijirita de Cabeza Negra, 215–231
 Bijirita de Garganta Amarilla, 215–231
 Bijirita del Pinar, 215–231
 Bijirita Gusanera, 215–231
 Bijirita Trepadora, 215–231
 Biogeography, 156–171, 363–370, 441–467
 Biometry, 469–475
 Bird communities, 215–231, 307–338, 371–380
 Bird records, 549–552
 Black Guan, 195–200
 Black Jacobin, 233–246
 Black Nunbird, 47–65

- Black Skimmer, 39–46
 Black Vulture, 233–246, 247–262
 Black-and-white Monjita, 145–156
 Black-and-white Warbler, 67–78
 Black-backed Grosbeak, 247–262
 Black-backed Water-Tyrant, 247–262
 Black-banded Woodcreeper, 247–262
 Black-bellied Antwren, 247–262
 Black-billed Peppershrike, 67–78
 Blackburnian Warbler, 67–78
 Black-capped Antwren, 247–262
 Black-capped Mockingbird, 233–246
 Black-capped Tanager, 67–78
 Black-capped Warbling-Finch, 247–262
 Black-chinned Mountain-Tanager, 67–78
 Black-chinned Siskin, 353–362
 Black-collared Hawk, 247–262
 Black-crowned Night-Heron, 233–246, 247–262
 Black-crowned Tityra, 233–246
 Black-faced Antbird, 405–410
 Black-faced Antthrush, 289–294
 Black-faced Grassquit, 371–380
 Black-goggled Tanager, 233–246, 397–403
 Black-hooded Parakeet, 247–262
 Blackish Rail, 233–246
 Black-legged Seriema, 247–262
 Blackpoll Warbler, 371–380
 Black-tailed Tityra, 233–246, 247–262
 Black-throated Grosbeak, 233–246
 Black-throated Mango, 233–246
 Black-throated Saltator, 233–246
 Blanco, D., 15–22
 Blanco, P., 215–231
 Blank, O., 15–22
 Blue Dacnis, 233–246
 Blue Ground-Dove, 233–246
 Blue-and-white Swallow, 233–246
 Blue-billed Black-Tyrant, 233–246
 Blue-black Grassquit, 233–246, 247–262
 Blue-crowned Motmot, 47–65, 247–262, 541–543
 Blue-crowned Parakeet, 247–262
 Blue-crowned Trogon, 247–262
 Blue-fronted Amazon, 295–305
 Blue-fronted Parrot, 247–262
 Blue-hooded Euphonia, 233–246
 Blue-tufted Starthroat, 247–262
 Blue-winged Mountain Tanager, 67–78
 Blue-winged Parrotlet, 233–246
 Blue-winged Teal, 39–46
 Boat-billed Flycatcher, 233–246
 Bobito Chico, 215–231
 Bobito Grande, 215–231
 Bohórquez, C. I., 67–78
 Bolivia, 129–131, 263–265
 Bolivian Andes, 173–194
 Bolivian Slaty-Antshrike
 Bonaccorso, E. A., 107–111, 545–548
 Bonaire, 79–89
 Bostwick, K. S., 247–262
 Boyero, 215–231
Brachyialba lugubris, 307–338
 Bran-colored Flycatcher, 233–246, 247–262
 Brazil, 29–38, 270–283, 307–338, 397–403, 477–489
 Brazilian Teal, 247–262
 Breeding colony, 113–115
 Breeding season, 107–111
 Breeding, 371–380, 535–539
 Broad-billed Motmot, 289–294
 Bronze-olive Pygmy-tyrant, 67–78
Brotogeris chiriri, 233–246, 247–262
Brotogeris chrysopterus, 307–338
 Brown Cacholote, 247–262
 Brown Pelecan, 39–46
 Brown-bellied Antshrike, 47–65
 Brown-capped Vireo, 67–78
 Brown-chested Martin, 247–262
 Brown-crested Flycatcher, 233–246, 247–262
 Brown-throated Parakeet, 79–89
Bubo virginianus, 247–262
Bubulcus ibis, 233–246, 247–262
Bucco capensis, 307–338
Bucco chacuru, 233–246
Bucco tamatia, 307–338
 Buff-fronted Foliage-gleaner, 67–78
 Buff-necked Ibis, 233–246
 Buffy Tuftedcheek, 67–78
 Burnished-buff Tanager, 233–246, 270–283
 Burrowing Owl, 233–246
Busarellus nigricollis, 247–262

- Buteo albicaudatus*, 39–46, 233–246, 247–262
Buteo brachyurus, 233–246
Buteo jamaicensis, 215–231
Buteo magnirostris, 233–246, 247–262, 282, 515–530
Buteo platypterus, 215–231
Buteo swainsoni, 39–46, 233–246
Buteogallus meridionalis, 233–246, 247–262
Buteogallus urubitinga, 247–262, 307–338
Butorides striatus, 247–262, 307–338
Butorides virescens, 515–530
 Caballero, E., 263–265
 Cabecitanegra Austral, 353–362
 Cabrero, 215–231
Cacicus cela, 307–338
Cacicus chrysopterus, 247–262
Cacicus haemorrhous, 307–338
Cacicus solitarius, 247–262
Cairina moschata, 233–246, 247–262
Calidris alba, 201–214
Calidris alpina, 201–214
Calidris fuscicollis, 247–262
Calidris himantopus, 39–46
Calidris mauri, 201–214
Calidris minutilla, 201–214
Callipepla amethystina, 233–246
Callonetta leucophrys, 247–262
 Calvo, S., 415–418
 Camao, 215–231
Campephilus leucopogon, 247–262
Campephilus melanoleucos, 247–262
Campephilus robustus, 233–246
Campephilus rubricollis, 307–338
 Campo Flicker, 233–246
Campostoma obsoletum, 233–246, 247–262, 307–338
Campylopterus largipennis, 307–338
Campylorhynchus procurviroides, 47–65, 307–338
Campylorhynchus trochilrostris, 247–262
Campylorhynchus turdinus, 307–338
Campylorhynchus zonatus, 515–530
 Canary-winged Parakeet, 233–246
 Candelero Americano, 201–214
 Candelita, 215–231
 Canebrake Wren, 339–343
 Canquén, 15–22
 Cao Montero, 215–231
 Capped Heron, 247–262
 Caprimulgiformes, 99–105
Caprimulgus carolinensis, 215–231
Caprimulgus cubanensis, 215–231
Caprimulgus nigrescens, 307–338
Caprimulgus parvulus, 233–246, 247–262
Caprimulgus rufus, 233–246, 247–262
 Captivity, 295–305
 Capucino de collar, 117–119
Caracara plancus, 233–246, 247–262, 515–530
Carduelis barbata, 353–362
Carduelis magellanica, 247–262
 Caretica, 215–231
Cariama cristata, 233–246
 Caribbean, 79–89
 Carmona, R., 201–214
 Carpintero Bataraz Grande, 353–362
 Carpintero de Paso, 215–231
 Carpintero Escapulario, 215–231
 Carpintero Jabado, 215–231
 Carpintero Verde, 215–231
Carpodectes nitidus, 127–128
 Cartacuba, 215–231
Caryothraustes humeralis, 307–338
Casiornis rufa, 247–262
 Caspian Tern, 39–46
Catamblyrhynchus diadema, 67–78
Cathartes aura, 215–231, 247–262, 307–338
Cathartes burrovianus, 247–262
Cathartes melambrotus, 307–338
Catharus fuscescens, 307–338
Catharus ustulatus, 541–543
Catoptrophorus semipalmatus, 201–214
 Cattle Egret, 233–246, 247–262
 Cattle Tyrant, 233–246, 247–262
 Cauquén, 15–22
Celeus flavus, 307–338
Celeus grammicus, 307–338
Celeus jumana, 307–338
Celeus lugubris, 247–262
Celeus torquatus, 307–338
 Census, 233–246
 Centla wetlands, 515–530
Cercomacra cinerascens, 47–65, 307–338
Cercomacra melanaria, 247–262

- Cercomacra nigrescens*, 307–338
 Cernicalo, 215–231
Certhiaxis cinnamomea, 247–262
Ceryle torquata, 233–246, 247–262, 307–338, 515–530
 Chaco Chachalaca, 247–262
 Chaco Owl, 247–262
 Chaco Suiriri, 247–262
 Chaco, 247–262
Chaetura brachyura, 307–338
Chaetura cinereiventris, 545–548
Chaetura meridionalis, 233–246, 247–262
Chaetura pelagica, 39–46
Chaetura spinicauda, 307–338
Chaetura vauxi, 545–548
 Chalk-browed Mockingbird, 233–246, 247–262
Chamaepetes unicolor, 195–200
Charadrius alexandrinus, 201–214
Charadrius collaris, 39–46, 247–262
Charadrius semipalmatus, 201–214
Charadrius vociferus, 39–46, 201–214
Charadrius wilsonia, 201–214
Chauna torquata, 247–262
 Chaves, J. A., 269–273
 Chaves-Campos, J., 195–200, 289–294
 CHD-1 gene, 433–440
 Checkered Woodpecker, 247–262
 Checking specimens, 549–552
Chelidoptera tenebrosa, 307–338
 Chestnut-capped Brush-finch, 67–78
 Chestnut-breasted Chlorophonia, 67–78
 Chestnut-capped Blackbird, 247–262
 Chestnut-headed Tanager, 233–246
 Chestnut-rumped Woodcreeper, 47–65
 Chestnut-vented Conebill, 233–246, 247–262
 Chichinguaco, 215–231
 Chile, 15–22, 113–115, 121–125, 531–533
 Chiloé rain forest, 121–125
 Chimango Caracara, 247–262
 Chimney Swift, 39–46
Chiroxiphia caudata, 233–246
Chiroxiphia pareola, 307–338
Chloephaga rubidiceps, 15–22
Chloroceryle aenea, 307–338
Chloroceryle amazona, 307–338
Chloroceryle americana, 307–338
Chlorochrysa phoenicotis, 67–78
Chlorophanes spiza, 307–338
Chlorophonia flavirostris, 67–78
Chlorophonia pyrrhobryis, 67–78
Chlorospingus ophthalmicus, 545–548
Chlorospingus semifuscus, 67–78
Chlorostilbon aureoventris, 233–246, 247–262
Chlorostilbon ricordii, 215–231
Chondrohierax uncinatus, 247–262, 307–338
 Chopi Blackbird, 233–246, 247–262
Chordeiles gundlachi, 215–231
Chordeiles minor, 233–246, 247–262
 Chorlo Gris, 201–214
 Chorlo Nevado, 201–214
 Chorlo Pico Grueso, 201–214
 Chorlo Semipalmeado, 201–214
 Chorlo Tildio, 201–214
 Chotoy Spinetail, 247–262
 Chucao Tapaculo, 121–125
Chunga burmeisteri, 247–262
 Cicchino, A., 415–418
Ciconia maguari, 247–262
Cinclodes taczanowskii, 469–475
 Cinereous Antshrike, 47–65
 Cinereous Tyrant, 247–262
Circus cyaneus, 39–46, 215–231
Claravis pretiosa, 233–246, 247–262
 Clay, R. P., 247–262
 Cliff Flycatcher, 233–246
 Cliff Swallow, 39–46, 233–246, 247–262
 Cloud forest, 67–78, 269–273
 Cloud-forest Pigmy-Owl, 269–273
Cnemoscopus rubrirostris, 363–370
Cnemoscopus, 363–370
Cnemotriccus bimaclatus, 233–246
Cnemotriccus fuscatus, 247–262
Coccyzus americanus, 215–231, 233–246
Coccyzus melacoryphus, 247–262
Coccyzus minor, 515–530
 Cochabamba, 263–265
Cochlearius cochlearius, 515–530
 Cock-of-the-Rock, 263–265
 Cocoli Heron, 247–262
Coereba flaveola, 233–246, 307–338, 371–380
Colaptes auratus, 215–231

- Colaptes campestris*, 233–246
Colaptes melanochloros, 233–246, 247–262
Colibri serrirostris, 233–246
 Collared Forest-Falcon, 247–262
 Collared Gnatwren, 47–65
 Collared Plover, 247–262
 Colombia, 67–78, 156–171, 423–429
Colonia colonus, 233–246, 307–338
Columba cayennensis, 233–246, 247–262
Columba corensis, 79–89
Columba flavirostris, 515–530
Columba leucocephala, 127–128
Columba picazuro, 233–246, 247–262, 282
Columba plumbea, 307–338
Columba squamosa, 215–231
Columba subvinacea, 307–338
Columbina passerina, 79–89, 215–231, 307–338
Columbina picui, 247–262
Columbina squammata, 233–246
Columbina talpacoti, 233–246, 247–262, 307–338, 515–530
 Comeñame, 91–98
 Comesebo Patagónico, 353–362
 Common Ground-dove, 79–89
 Common Hornero, 247–262
 Common Nighthawk, 233–246, 247–262
 Common Pauraque, 99–105
 Common Potoo, 233–246, 247–262
 Common Tern, 39–46
 Common Tody-Flycatcher, 233–246
Conirostrum speciosum, 233–246, 247–262
Conopias trivittata, 307–338
Conopophaga aurita, 307–338
Conopophaga lineata, 233–246, 397–403
 Conservation, 15–22, 29–38, 113–115, 145–156, 247–262, 269–273
Contopus borealis, 307–338
Contopus caribaeus, 215–231
Contopus cinereus, 233–246
Contopus nigrescens, 307–338
Contopus sp., 67–78
 Cooper's Hawk, 39–46
Coragyps atratus, 233–246, 247–262, 307–338
 Coraya Wren, 47–65
 Corrêa Buzzetti, D. R., 477–489
 Correa Rueda, A., 121–125
Corvus nasicus, 215–231
Coryphospingus cucullatus, 233–246, 247–262
Coryphospingus pileatus, 371–380
Corythopis torquata, 307–338
 Costa Rica, 195–200, 289–294, 339–343, 381–396
 Costureros, 201–214
Cotinga cayana, 307–338
 Cotinga Nivola, 127–128
 Cotingidae, 491–497
 Crane Hawk, 247–262
Cranioleuca erythrops, 67–78
Cranioleuca pyrrhophia, 247–262
 Cream-backed Woodpecker, 247–262
 Creamy-bellied Thrush, 233–246, 247–262
 Crested Becard, 233–246
 Crested Caracara, 233–246
 Crested Guan, 195–200
 Crested Hornero, 247–262
 Crested Oropendola, 247–262
Creurgops verticalis, 67–78
 Crimson-crested Woodpecker, 247–262
Crotophaga ani, 215–231, 233–246, 247–262, 282, 307–338
Crotophaga major, 247–262
Crotophaga sulcirostris, 515–530
 Crowned Eagle, 419–422
 Crowned Slaty Flycatcher, 247–262
Crypturellus boucardi, 289–294
Crypturellus cinereus, 307–338
Crypturellus parvirostris, 233–246, 307–338
Crypturellus soui, 307–338
Crypturellus strigulosus, 307–338
Crypturellus tataupa, 247–262
Crypturellus undulatus, 247–262
Crypturellus variegatus, 307–338
 Cuba, 215–231
 Cuban Archipelago, 441–467
 Cuban avifauna, 441–467
 Cuéllar-Brito, A., 201–214
 Curaçao, 79–89
 Curl-crested Jay, 233–246
 Curve-billed Scythebill, 47–65
Cyanerpes caeruleus, 307–338
Cyanerpes cyaneus, 215–231, 307–338
Cyanocompsa brissonii, 247–262

- Cyanocompsa cyanooides*, 307–338
Cyanocorax chrysops, 233–246, 247–262
Cyanocorax cristatellus, 233–246
Cyanocorax cyanomelas, 35, 247–262
Cyanocorax morio, 515–530
Cyanocorax yucatanicus, 515–530
Cyclarhis gujanensis, 233–246, 247–262, 307–338, 371–380, 397–403, 515–530
Cyclarhis nigrirostris, 67–78
Cymbilaimus lineatus, 47–65, 307–338
Cyphorhinus aradus, 307–338
Cypseloides fumigatus, 233–246
Dacnis cayana, 233–246, 307–338
Dacnis lineata, 307–338
Daptrius americanus, 307–338
Daptrius ater, 307–338
Dark-billed Cuckoo, 247–262
Darwin? Nothura, 173–194
De la Peña, M. R., 499–513
Debrot, A., 133–139
Deconychura longicauda, 307–338
Deconychura stictolaema, 307–338
Degollado, 215–231
Dendrocincla fuliginosa, 289–294, 307–338, 545–548
Dendrocincla merula, 307–338
Dendrocincla tyrannina, 67–78
Dendrocolaptes certhia, 307–338
Dendrocolaptes picumnus, 247–262, 307–338
Dendrocolaptes platyrostris, 233–246
Dendrocolaptes sanctithomae, 289–294
Dendrocygna autumnalis, 515–530
Dendroica caerulescens, 215–231
Dendroica coronata, 215–231
Dendroica discolor, 215–231
Dendroica dominica, 215–231
Dendroica fusca, 67–78
Dendroica magnolia, 515–530
Dendroica palmarum, 215–231
Dendroica petechia, 515–530
Dendroica pityophila, 215–231
Dendroica striata, 215–231, 371–380
Dendroica tigrina, 215–231
Deroptylus acipitrinus, 307–338
Dichrozona cincta, 307–338
Dickcissel
Diet, 173–194, 499–513
Digestive tract morphometry, 173–194
Diglossa indigotica, 67–78
Diglossopsis cyanea, 67–78
Diopsittaca nobilis, 35
Distribution, 145–156, 269–273, 441–467
Dives atrovioleacea, 215–231
DN2, 363–370
Donacobius atricapillus, 233–246
Dormida, 270–283
Dormitory nest, 339–343
Dot-winged Antwren, 47–65
Double-collared Seedeater, 233–246, 247–262
Dromococcyx pavoninus, 233–246, 247–262
Dromococcyx phasianellus, 247–262
Dry forest, 107–111
Dryophila caudata, 67–78
Dryophila ferruginea, 233–246
Dryornis bridgesii, 247–262
Dryocopus lineatus, 233–246, 247–262, 307–338, 515–530
Dull-colored Grassquit, 247–262
Dumetella carolinensis, 215–231, 515–530
Durães, R., 397–403
Dusky-bellied Bush-tanager, 67–78
Dusky-throated Antshrike, 47–65
Dysithamnus mentalis, 233–246
Eared Dove, 79–89, 233–246, 247–262
Eared Pygmy-Tyrant, 233–246
Eberhard, J. R., 79–89
Eciton burchelli, 289–294
Ectoparasites, 415–418
Ecuador, 107–111, 269–273
Eggs, 129–131, 263–265, 339–343, 405–410, 423–429, 535–539
Egretta caerulea, 515–530
Egretta thula, 247–262
Eisermann, K., 127–128
El Salvador, 39–46, 99–105
Elaenia albiceps, 233–246
Elaenia chiriquensis, 233–246
Elaenia flavogaster, 233–246, 307–338
Elaenia obscura, 233–246
Elaenia parvirostris, 233–246, 247–262, 371–380
Elaenia spectabilis, 247–262

- Elaenia strepera*, 371–380
Elanoides forficatus, 247–262, 307–338
Elanus leucurus, 233–246
Electron platyrhynchum, 289–294
 Elegant Tern, 39–46
 Elliot's Storm-petrel, 113–115
Emberizoides herbicola, 233–246
Embernagra longicauda, 477–489
Empidonax alnorum, 247–262
Empidonomus varius, 233–246, 247–262, 307–338
 Empress Brilliant, 67–78
 Endemic, 215–231, 515–530
 Ensenada de La Paz, 201–214
 Epaulet Oriole, 247–262
 Espinhaço Range, 477–489
 Estades, C. F., 531–533
Eucometis penicillata, 545–548
Endocimus albus, 39–46
 Euler Flycatcher, 233–246, 247–262
Eupetomena macroura, 233–246
Euphonia chlorotica, 233–246, 247–262
Euphonia minuta, 307–338
Euphonia musica, 233–246
Euphonia rufiventris, 307–338
Euphonia violacea, 233–246, 307–338
Euphonia xanthogaster, 67–78
Euscarthmus meloryphus, 233–246, 247–262
Euscarthmus meloryphus, 371–380
 Evergreen forest, 215–231
 Extinction, 145–156
 Eye-ringed Tody-Tyrant, 233–246
Falco columbarius, 39–46, 215–231
Falco femoralis, 233–246, 247–262
Falco peregrinus, 39–46, 215–231
Falco ruficularis, 247–262, 307–338
Falco sparverius, 39–46, 215–231, 233–246
 Fasciated Antshrike, 47–65
 Faunal turnover, 247–262
 Fawn-breasted Tanager, 67–78, 233–246
 Fawn-breasted Wren, 247–262
 Feeding ecology, 173–194
 Fernandes Seixas, G. H., 295–305
 Fernandes, E. A., 545–548
 Ferreira de Vasconcelos, M., 477–489
 Ferruginous Antbird, 233–246
 Ferruginous Pygmy-Owl, 247–262
 Field observations, 549–552
 Figueroa, J. A., 121–125
 Fire, 233–246
 Fjeldså, J., 363–370
 Flame-faced Tanager, 67–78
 Flavescent Flycatcher, 67–78
 Flavescent Warbler, 233–246, 247–262
 Flocking, 47–65
 Flora, 499–513
Florisuga mellivora, 307–338
 Flower-piercer, 67–78
Fluvicola albiventer, 247–262
 Food habits, 419–422, 499–513
 Food, 173–194
 Foraging ecology, 411–414
 Foraging flock, 47–65
 Foraging habitat, 201–214
 Foraging, 47–65
 Forest fragments, 233–246
 Fork-tailed Flycatcher, 233–246, 247–262
 Formicariidae, 535–539
Formicarius analis, 289–294, 307–338
Formicarius colma, 307–338
Formicivora grisea, 371–380
Formicivora melanogaster, 247–262
Formicivora rufa, 233–246
Forpus xanthopterygius, 233–246
 Forster's Tern, 39–46
 Fraga, R. M., 145–156
 Franklin's Gull, 39–46
 Freile, J. R., 107–111, 275–278, 269–273
 Freshwater habitat, 201–214
 Fulvous-crested Tanager, 47–65
 Fulvous-dotted Treerunner, 67–78
Furnarius cristatus, 247–262
Furnarius rufus, 233–246, 247–262
 Fuscous Flycatcher, 233–246, 247–262
Galbula albirostris, 47–65
Galbula cyanicollis, 307–338
Galbula dea, 307–338
Galbula ruficauda, 233–246
 Gallito de la Roca, 263–265
 García, M. A., 545–548
 García-Moreno, J., 363–370
 Garitano-Zavala, 173–194

- Garrido, O. H., 91–98
 Gavián Bobo, 215–231
 Gavián Colilargo, 215–231
 Gavián de Monte, 215–231
 Gavián Sabanero, 215–231
 Gaviñancito, 215–231
 Geographic distribution, 477–489
 Geographic variation, 156–171
Geothlypis aequinoctialis, 233–246, 247–262
Geothlypis poliocephala, 515–530
Geothlypis trichas, 215–231, 515–530
Geotrygon caniceps, 215–231
Geotrygon montana, 215–231, 307–338
Geranospiza caerulescens, 247–262
 Giant Antshrike, 247–262
 Giant Wood-Rail, 247–262
 Gilded Hummingbird, 233–246, 247–262
Glaucidium brasilianum, 247–262, 515–530
Glaucidium hardyi, 307–338
Glaucidium nubicula, 269–273
Glaucidium siju, 215–231
Glaucis hirsuta, 307–338
 Glistening-green Tanager, 67–78
 Glittering-bellied Emerald, 233–246, 247–262
Glyphorhynchus spirurus, 47–65, 67–78, 289–294, 307–338
Gnorimopsar chopi, 233–246, 247–262
 Goatsuckers, 99–105
 Golden Tanager, 67–78
 Golden-billed Saltator, 247–262
 Golden-collared Honeycreeper, 67–78
 Golden-crowned Spadebill, 47–65
 Golden-crowned Warbler, 233–246
 Golden-faced Tyrannulet, 67–78
 Golden-green Woodpecker, 247–262
 Golden-naped Tanager, 67–78
 Golden-olive Woodpecker, 67–78
 Golden-winged Cacique, 247–262
 Golden-winged Manakin, 67–78
 Golondrina de Alas Asperas, 215–231
 Golondrina de Arboles, 215–231
 Golondrina de Cuevas, 215–231
 Golondrina de Mar Chica, 113–115
Grallaria hypoleuca, 535–539
Grallaria varia, 307–338
Grallaricula flavirostris, 129–131
Granatellus pelzelni, 307–338
 Grassland Sparrow, 233–246, 247–262
 Gray Antbird, 47–65
 Gray Antwren, 47–65
 Gray Elaenia, 233–246
 Gray-backed Tachuri, 477–489
 Gray-breasted Martin, 233–246
 Gray-breasted Wood-Wren, 67–78
 Gray-crowned Tyrannulet, 247–262
 Gray-eyed Greenlet, 233–246
 Gray-fronted Dove, 233–246
 Gray-headed Kite, 233–246, 247–262
 Gray-headed Tody-Flycatcher, 233–246
 Grayish Saltator, 247–262
 Gray-necked Wood-Rail, 233–246, 247–262
 Great Antshrike, 233–246, 247–262
 Great Black-Hawk, 247–262
 Great Blue Heron, 39–46
 Great Egret, 233–246, 247–262
 Great Horned-Owl, 247–262
 Great Kiskadee, 233–246, 247–262
 Great Rufous Woodcreeper
 Great Tinamou, 289–294
 Greater Ani, 247–262
 Greater Kiskadee, 282
 Greater Thornbird, 247–262
 Greater Wagtail-Tyrant, 247–262
 Greater Yellowlegs, 247–262
 Green Ibis, 233–246
 Green-and-black Fruiteater, 67–78
 Green-backed Becard, 247–262, 247–262
 Green-backed Firecrown, 531–533
 Green-barred Woodpecker, 233–246, 247–262
 Green-breasted Mango, 39–46
 Green-capped Tanager, 411–414
 Green-cheeked Parakeet, 247–262
 Greenish Elaenia, 233–246
 Greenish Tyrannulet, 233–246
 Green-winged Saltator, 233–246, 247–262
 Grey fox, 15–22
Griseotyrannus aurantioatrocristatus, 247–262
 Growth curves, 295–305
 Guabairo Americano, 215–231
 Guabairo, 215–231
 Guanaro, 215–231

- Guatemala, 127–128
Gubernetes yetapa, 233–246
 Guevara, E., 269–273
 Guira Cuckoo, 233–246, 247–262
Guira guira, 233–246, 247–262
 Gull-billed Tern, 39–46
Gymnoderus foetidus, 491–497
Gymnophis leucaspis, 289–294
Habia rubica, 233–246, 307–338, 397–403
 Habitat selection, 1–14
 Habitat use, 201–214
 Habitat, 145–156, 269–273
Haematopus palliatus, 201–214
Haematoxylon campechianum, 515–530
 Halcón de Palomas, 215–231
 Halcón de Patos, 215–231
 Halewyn, R. van, 133–139
 Handsome Flycatcher, 67–78
Haplophaedia lugens, 67–78
 Harms, K. E., 79–89
Harpagus bidentatus, 307–338
Harpagus diodon, 233–246
Harpia harpyja, 307–338
Harpohaliaetus coronatus, 419–422
 Harris's Hawk, 247–262
Helicolestes hamatus, 307–338
Heliodoxa imperatrix, 67–78
Heliomaster furcifer, 247–262
Heliomaster longirostris, 307–338
Heliomaster squamosus, 233–246
Heliornis fulica, 307–338
Heliobryx aurita, 307–338
 Helmeted Manakin, 233–246
Helmitheros vermivorus, 215–231, 515–530
Hemispingus atropileus, 363–370
Hemispingus auricularis, 363–370
Hemispingus calophrys, 363–370
Hemispingus frontalis, 363–370
Hemispingus goeringi, 363–370
Hemispingus melanotis, 363–370
Hemispingus parodii, 363–370
Hemispingus piurae, 363–370
Hemispingus reyi, 363–370
Hemispingus rufosuperciliaris, 363–370
Hemispingus superciliaris, 363–370
Hemispingus trifasciatus, 363–370
Hemispingus verticalis, 363–370
Hemispingus xanthophthalmus, 363–370
Hemispingus, 363–370
Hemibraupis guira, 307–338
Hemibraupis ruficapilla, 233–246
Hemitriccus margaritaceiventer, 247–262
Hemitriccus minimus, 307–338
Hemitriccus orbitatus, 233–246
Hemitriccus striaticollis, 307–338
Henicorbina leucophrys, 67–78, 545–548
Henicorbina leucosticta, 289–294
 Henriques, L. M. P., 307–338
 Hernández, A., 215–231
Herpetotheres cachimans, 233–246, 247–262, 307–338, 515–530
Herpsilochmus atricapillus, 247–262
Herpsilochmus rufimarginatus, 233–246, 307–338
 Herrera, A., 215–231
 Hertel, F., 113–115
Heteromenopon macrurum, 415–418
Heteroscelus incanus, 39–46
Heterocolmis dominica, 145–156
 Highland Elaenia, 233–246
Himantopus mexicanus, 201–214
Hirundinacea ferruginea, 233–246
Hirundo rustica, 39–46, 247–262
 Hoary Puffleg, 67–78
 Hoffman, R. L., 285–286
 Holguín, 215–231
 Hooded Siskin, 247–262
 Hooded Tanager, 233–246, 247–262
 Hook-billed Kite, 247–262
 Hormiguero Ocelado
 Hormiguero Pecho Ocráceo, 129–131
 House Wren, 233–246, 247–262
 Huet-huet, 121–125
 Hummingbirds, 156–171, 531–533
 Hyacinth Macaw, 29–38
Hydropsalis torquata, 233–246, 247–262
Hylexetastes uniformis, 307–338
Hylocharis chrysura, 233–246, 247–262
Hylocharis sapphirina, 307–338
Hylocichla mustelina, 515–530
Hylopezus berlepschi, 307–338
Hylopezus macularius, 307–338
Hylophilus amaurocephalus, 233–246

- Hylophilus flavipes*, 371–380
Hylophilus hypoxanthus, 307–338
Hylophilus ochraceiceps, 307–338
Hylophilus semicinerus, 307–338
Hylophylax naevia, 47–65, 307–338
Hylophylax naevioides, 289–294
Hylophylax poecilonota, 47–65, 307–338
Hylophylax punctulata, 307–338
Hymenops perspicillatus, 247–262
Hypocnemis cantator, 47–65, 307–338
Hypocnemis hypoxantha, 307–338
Hypoedaleus guttatus, 233–246
Icteria virens, 515–530
Icterus cayanensis, 247–262, 307–338
Icterus cucullatus, 515–530
Icterus dominicensis, 215–231
Icterus dominicensis, 515–530
Icterus galbula, 515–530
Icterus gularis, 515–530
Icterus mesomelas, 515–530
Ictinia mississippiensis, 247–262
Ictinia plumbea, 233–246, 247–262, 307–338
Inezia inornata, 247–262
Instestine, 173–194
Inter-species aggressiveness, 121–125
Interspecific interaction, 35
Intertidal habitat, 201–214
Intestinal morphometry, 173–194
Iodopleura isabellae, 307–338
Ippi, S., 353–362
Iridosornis porphyrocephala, 67–78
Islands, 113–115
Iturralde, G., 269–273
Jabiru mycteria, 247–262
Jabiru, 247–262
Jacamerops aurea, 307–338
Jacana jacana, 247–262, 307–338
Jacana spinosa, 515–530
Juan Chivi, 215–231
Judío, 215–231
Killdeer, 39–46
King Vulture, 233–246, 247–262
Kleptoparasitism, 397–403
Knipolegus cyanostris, 233–246
Knipolegus striaticeps, 247–262
Komar, 39–46, 541–543
Lafresnaya lafresnayi longirostris, 156–171
Lafresnaya lafresnayi, 156–171
Lafresnaya, 156–171
Lamprospiza melanoleuca, 307–338
Lane, D. F., 491–497
Lanio versicolor, 307–338
Laniocera hypopyrra, 307–338
Lapa Roja, 381–396
Large Elaenia, 247–262
Larus pipixcan, 39–46
Laterallus viridis, 307–338
Lathrotriccus euleri, 233–246, 247–262
Laughing Falcon, 233–246, 247–262
Legatus leucophaius, 307–338
Lentino, M., 545–548
Lepidocolaptes affinis, 67–78
Lepidocolaptes albolineatus, 307–338
Lepidocolaptes angustirostris, 233–246, 247–262
Lepidocolaptes fuscus, 233–246
Leptodon cayanensis, 233–246, 247–262, 307–338
Leptopogon amaurocephalus, 233–246, 397–403
Leptotila rufaxilla, 233–246, 307–338, 515–530
Leptotila verreauxi, 79–89, 233–246, 247–262, 307–338, 515–530
Lesser Elaenia, 233–246
Lesser Woodcreeper, 233–246
Lesser Yellow-headed Vulture, 247–262
Lesser Yellowlegs, 247–262
Leucochloris albicollis, 233–246
Leucopternis albicollis, 307–338, 541–543
Leucopternis kublí, 307–338
Leucopternis princeps, 267–268
Leucopternis schistacea, 307–338
Lianas, 233–246
Limnodromus griseus, 39–46
Limnodromus spp., 201–214
Limosa fedoa, 201–214
Limpkin, 247–262
Lineated Foliage-gleaner, 67–78
Lineated Woodpecker, 233–246, 247–262
Link, A., 423–429
Lipaugus cryptolophus, 67–78
Lipaugus vociferans, 307–338
Literature, 549–552
Little Nightjar, 233–246, 247–262

- Little Woodpecker, 233–246, 247–262
Lochmias nematura, 233–246
 Londoño, G. A., 405–410
 Long-billed Curlew, 39–46
 Long-billed Gnatwren, 47–65
 Longevity, 545–548
 Long-tailed Antbird, 67–78
 Long-tailed Tyrant, 233–246
 Long-winged Antwren, 47–65
Lophostrix cristata, 307–338
Lophotriccus galeatus, 307–338
Loxigilla grandis, 91–98
Loxigilla portoricensis, 91–98
Lurocalis nattereri, 233–246
Lurocalis semitorquatus, 307–338
 Maceda, J. J., 419–422
Machetornis rixosus, 233–246, 247–262
Mackenziaena severa, 233–246
 Madsen, J., 15–22
 Maguari Stork, 247–262
 Maillard Z., O., 129–131, 247–262
Malacoptila fusca, 47–65
Malacoptila rufa, 307–338
 Maldonado-Coelho, M., 397–403, 477–489
Manacus manacus, 307–338
 Management, 345–351, 381–396
 Mangrove, 127–128
 Many-colored Chaco-Finch, 247–262
 Marble-face Bristle-Tyrant, 67–78
Marganetta armata, 269–273
 Margarita Island, 79–89, 345–351
Margarornis stellatus, 67–78
 Marineros, L., 381–396
 Mariposa Galana, 215–231
 Marshall-Ball, L., 339–343
Masius chrysopterus, 67–78
 Masked Flower-piercer, 67–78
 Masked Gnatcatcher, 247–262
 Masked Trogon, 67–78
 Masked Yellowthroat, 233–246, 247–262
 Mateazzi, G., 15–22
 Mato Grosso Antbird, 247–262
 Mato Grosso, 29–38
 Matus, R., 15–22
 Mayito, 215–231
 McConnell's Flycatcher, 47–65
 McNeil, R., 371–380
Megarynchus pitangua, 233–246, 307–338, 515–530
Melanerpes aurifrons, 515–530
Melanerpes cactorum, 247–262
Melanerpes candidus, 233–246, 247–262
Melanerpes cruentatus, 307–338
Melanerpes superciliaris, 215–231
Melanotrochilus fuscus, 233–246
Mellisuga helenae, 215–231
Melopyrrha nigra, 215–231
 Merlin, 39–46
Mesembrinibis cayennensis, 233–246
 Metallic-green Tanager, 67–78
 México, 201–214, 515–530
Micrastur gilvicolis, 307–338
Micrastur ruficollis, 247–262, 307–338
Micrastur semitorquatus, 247–262, 307–338
Microbates collaris, 47–65
Microcerculus marginatus, 307–338
Microrhopias quixensis, 47–65, 307–338
 Millipede, 285–286
Milvago chimachima, 233–246, 247–262, 307–338
Milvago chimango, 247–262
Mimus gilvus, 515–530
Mimus polyglottos, 215–231
Mimus saturninus, 233–246, 247–262
Mionectes macconnelli, 47–65, 307–338
Mionectes oleagineus, 307–338
Mionectes olivaceus, 545–548
Mionectes striaticollis, 67–78
 Mississippi Kite, 247–262
 Mist netting, 307–338, 541–543
Mitu tuberosa, 307–338
 Mixed species flocks, 67–78, 353–362
 Mixed-species, 47–65
 Miyaki, C. Y., 433–440
Mniotilta varia, 67–78, 215–231, 515–530
 Mochuelo Nuboselvático, 269–273
Molothrus badius, 247–262
Molothrus bonariensis, 233–246, 247–262, 282, 307–338
 Molt, 371–380, 469–475
Momotus momota, 47–65, 247–262, 307–338, 541–543

- Monasa atra*, 47–65
Monasa morphoeus, 307–338
 Monk Parakeet, 247–262, 415–418
 Montane Foliage-gleaner, 67–78
 Monteverde, 195–200
Morphnus guianensis, 307–338
 Mountain Wren, 67–78
 Mourão, G., 295–305
 Mourning Dove, 39–46
 Mouse-colored Antshrike, 47–65
 Mouse-colored Tyrannulet, 371–380
 mtDNA, 363–370
 Muela, A., 267–268
Muscipipra vetula, 233–246
 Muscovy Duck, 233–246, 247–262
Myadestes elisabeth, 215–231
Myadestes ralioides, 67–78
Myiateria americana, 39–46, 247–262
Myiarchus ferox, 233–246, 307–338
Myiarchus sagrae, 215–231
Myiarchus swainsoni, 233–246, 247–262, 371–380
Myiarchus tuberculifer, 307–338, 515–530
Myiarchus tyrannulus, 233–246, 247–262, 515–530
Myiobius barbatus, 47–65, 307–338
Myioborus miniatus, 67–78, 545–548
Myiodynastes maculatus, 233–246, 247–262, 307–338
Myiopagis caniceps, 233–246
Myiopagis gaimardii, 307–338
Myiopagis viridicata, 233–246
Myiophobus fasciatus, 233–246, 247–262
Myiophobus flavicans, 67–78
Myiophobus pulcher, 67–78
Myiopsitta monachus, 247–262, 415–418
Myiornis auriculatus, 233–246
Myiornis ecaudatus, 307–338
Myiozetetes cayanensis, 307–338
Myiozetetes luteiventris, 307–338
Myiozetetes similis, 233–246, 515–530
Myrmeciza hemimelaena, 307–338
Myrmeciza hyperythra, 405–410
Myrmeciza melanoceps, 423–429
Myrmoborus myotherinus, 307–338, 405–410
Myrmorchilus strigilatus, 247–262
Myrmornis torquata, 307–338
Myrmothera campanisona, 307–338
Myrmotherula axillaris, 47–65, 307–338
Myrmotherula brachyura, 307–338
Myrmotherula guttata, 47–65
Myrmotherula gutturalis, 47–65
Myrmotherula hauxwelli, 307–338
Myrmotherula leucophthalma, 307–338
Myrmotherula longipennis, 47–65, 307–338
Myrmotherula menetriesii, 47–65, 307–338
Myrmotherula ornata, 307–338
Myrmotherula sclateri, 307–338
 Nadal, J., 173–194
Nandayus nenday, 247–262
 Naoki, K., 411–414
 Narrow-billed Woodcreeper, 233–246, 247–262
 Natural history, 145–156, 491–497
 Navarro, N., 215–231.
 Negrito, 215–231
 Nemeth, N., 381–396
Nemosia pileata, 233–246, 247–262
 Neotropical Cormorant, 247–262
 Neotropical birds, 545–548
 Neotropical forest, 1–14
 Neotropical, 247–262
 Neotropics, 47–65, 549–552
 Nest cavities, 381–396
 Nest, 129–131, 263–265, 267–268, 405–410, 423–429, 535–539
 Nesting behavior, 535–539
 Nesting, 107–111, 145–156, 270–283
 Nestlings, 415–418, 423–429
 Nest-predation experiment, 1–14
 Nest-predators, 1–14
 Nest-site selection, 1–14
 Nest-site, 29–38
 Netherlands Antilles, 79–89
 News, 141–144, 287–288, 431–432
 Nidification, 263–265
 Nightjars, 99–105
 Nine-primaried ossicles, 363–370
 Nivel de marea, 201–214
 Nogueira, F. M. B., 29–38
 Northern Harrier, 39–46
 Northern-Barred Woodcreeper, 289–294

- Notharchus macrorhynchus*, 307–338
Notharchus tectus, 307–338
Nothophagus pumilio, 353–362
Nothoprocta ornata, 173–194
Nothura darwini, 173–194
Nothura maculosa, 233–246
Notiochelidon cyanoleuca, 233–246
Numenius americanus, 39–46, 201–214
Numenius phaeopus, 201–214
Nyctibius grandis, 307–338
Nyctibius griseus, 233–246, 247–262, 307–338, 515–530
Nyctibius leucopterus, 307–338
Nycticorax nycticorax, 233–246, 247–262
Nyctidromus albicollis, 99–105, 233–246, 247–262, 307–338, 515–530
Nyctiphrynus ocellatus, 307–338
Nystalus maculatus, 307–338
 Obituaries, 133–139
Oceanites gracilis, 113–115
Ocellated Antbird, 289–294
 Ocellated Antbird, 289–294
 Ochre-breasted Antpitta, 129–131
 Ochre-cheeked Spinetail, 247–262
Odontophorus gujanensis, 307–338
Odontorhynchus cinereus, 307–338
 Olivaceous Piha, 67–78
 Olivaceous Woodcreeper, 233–246, 247–262
 Olivaceous Flatbill, 47–65
 Olive-backed Foliage-gleaner, 47–65
Oncostoma cinereigulare, 515–530
 Oniki, Y., 279–283
Onychorhynchus coronatus, 307–338
 Orange-backed Troupial, 247–262
 Orange-bellied Euphonia, 67–78
 Orange-headed Tanager, 233–246, 247–262
 Ornate Tinamou, 173–194
Ornithion inerme, 307–338
Ornithonyssus bursa, 415–418
Ortalis canicollis, 247–262
Ortalis ruficeps, 307–338
Ortalis vetula, 515–530
Oryzoborus angolensis, 307–338
 Osprey, 39–46
 Ostrero Americano, 201–214
Otus choliba, 233–246, 247–262, 307–338
Otus lawrencii, 215–231
Otus roboratus, 107–111
Otus watsonii, 307–338
 Oviedo, R., 215–231
 Oxidation lagoon, 201–214
Pachyrhamphus aglaiae, 515–530
Pachyrhamphus marginatus, 307–338
Pachyrhamphus minor, 307–338
Pachyrhamphus polychopterus, 67–78, 233–246
Pachyrhamphus rufus, 307–338
Pachyrhamphus validus, 233–246
Pachyrhamphus versicolor, 67–78
Pachyrhamphus viridis, 233–246, 247–262
 Pale-breasted Spinetail, 233–246, 247–262
 Pale-breasted Thrush, 233–246, 282
 Pale-crested Woodpecker, 247–262
 Pale-throated Serra-finch, 477–489
 Pale-vented Pigeon, 233–246, 247–262
 Paloma Aliblanca, 215–231
 Paloma Coroniglanca, 127–128
 Paloma Rabiche, 215–231
 Panamá, 267–268
Pandion haliaetus, 39–46
 Pantanal of Mato Grosso, 29–38
 Pantanal, 295–305
 Pantanos, 515–530
Panyptila cayennensis, 307–338
Parabuteo unicinctus, 247–262
Paragoniocotes fulvofasciatus, 415–418
 Paraguay, 247–262
 Parental behavior, 535–539
 Parkes, K. C., 285–286
Peroaria capitata, 247–262
Peroaria coronata, 247–262
Peroaria gularis, 307–338
 Parque Nacional Henri Pittier, 545–548
 Parrot, 79–89
Parula americana, 215–231, 515–530
Parula pitiayumi, 67–78, 233–246, 247–262
 Paso Portachuelo, 545–548
Passerina brissoni, 233–246
Passerina cyanea, 215–231
 Patagonia, 15–22
 Patagonian forest, 353–362
 Patagonian Sierra-Finch, 353–362
 Patamarilla Mayor, 201–214

- Patamarilla Menor, 201–214
 Pato Correntino Peruano, 269–273
 Pauraque, 233–246, 247–262
 Pava Crestada, 195–200
 Pava Negra, 195–200
 Pavonine Cuckoo, 233–246, 247–262
 Payero Dorso Rojo, 201–214
 Pearly-vented Tody-Tyrant, 247–262
 Pechero, 215–231
Pelecanus erythrorhynchus, 39–46
Pelecanus occidentalis, 39–46
 Peña, C., 215–231
Penelope purpurascens, 195–200
Penelope supercilialis, 233–246, 307–338
 Pensiero, J. F., 499–513
Pernostola leucostigma, 47–65
 Peregrine Falcon, 39–46
Periporphyrus erythromelas, 307–338
 Perú, 269–273, 411–414, 469–475
 Peruvian Seaside-Cinclodes, 469–475
 Peruvian Torrent Duck, 269–273
 Pessino, M. E. M., 419–422
Petrochelidon fulva, 215–231
Petrochelidon pyrrhonota, 39–46, 233–246, 247–262
 Pewee, 67–78
Phacellodomus ruber, 247–262
Phacellodomus rufifrons, 247–262
Phaenostictus mcleannani, 289–294
Phaemyias murina, 371–380
Phaethornis bourcierii, 307–338
Phaethornis longuemareus, 307–338
Phaethornis pretrei, 233–246
Phaethornis superciliosus, 307–338
Phalacrocorax brasilianus, 247–262
 Pheasant Cuckoo, 247–262
 Phenology, 371–380
Pheucticus aureoventris, 247–262
Pheucticus ludovicianus, 215–231
Phibalura flavirostris, 233–246
Philohydor lictor, 307–338
Philohydor erythrocerus, 47–65, 307–338
Philohydor pyrrhodes, 307–338
Philohydor ruficaudatus, 307–338
Philohydor rufus, 67–78
Phlegopsis nigromaculata, 307–338
Phoenicircus carnifex, 307–338
Phrygilus patagonicus, 353–362
Phyllomyias virescens, 233–246
Phylloscartes ophthalmicus, 67–78
 Phylogeny, 363–370
Piaya cayana, 233–246, 247–262, 307–338, 515–530
Piaya melanogaster, 307–338
 Picazuro Pigeon, 233–246, 247–262, 282
Picoides lignarius, 353–362
Picoides mixtus, 247–262
Picoides scalaris, 515–530
 Picolezna Patagónico, 353–362
 Picopando Canelo, 201–214
 Picui Ground-Dove, 247–262
Piculus chrysocloros, 247–262
Piculus flavigula, 307–338
Piculus rubiginosus
Piculus rubiginosus, 67–78, 515–530
Picumnus albosquamatus, 233–246
Picumnus aurifrons, 307–338
Picumnus cirratus, 247–262
 Pileated Finch, 371–380
Pilberodius pileatus, 247–262, 307–338
 Pine, 215–231
 Pinho, M. B., 29–38
Pionites leucogaster, 307–338
Pionopsitta vulturina, 307–338
Pionus fuscus, 307–338
Pionus maximiliani, 233–246, 247–262
Pionus menstruus, 307–338
Pipile cunjubi, 307–338
Pipra iris, 307–338
Pipra pipra, 307–338
Pipra rubrocapilla, 307–338
Pipraeidea melanonota, 67–78, 233–246
Pipreola formosa, 545–548
Pipreola riefferii, 67–78
Piprites chloris, 307–338
Pitangus sulphuratus, 233–246, 247–262, 282, 307–338, 515–530
 Pitirre Abejero, 215–231
 Pitirre Guatíbere, 215–231
Pitylus fuliginosus, 233–246
Pitylus grossus, 307–338
 Plain Antvireo, 233–246

- Plain Inezia, 247–262
 Plain Wren, 339–343
 Plain Xenops, 47–65
 Plain-brown Woodcreeper, 289–294
 Planalto Hermit, 233–246
 Planalto Woodcreeper, 233–246
Platalea ajaja, 247–262
Platyrhynchus mystaceus, 67–78, 233–246
Platyrhynchus coronatus, 47–65, 307–338
Platyrhynchus platyrhynchus, 307–338
Platyrhynchus saturatus, 307–338
 Playerito Menor, 201–214
 Playerito Occidental, 201–214
 Playero Alzacolita, 201–214
 Playero Blanco, 201–214
 Playero Pihuiuí, 201–214
 Plumbeous Antbird, 405–410
 Plumbeous Ibis, 247–262
 Plumbeous Kite, 233–246, 247–262
 Plush-capped Finch, 67–78
 Plush-crested Jay, 233–246, 247–262
Pluvialis dominica, 39–46, 247–262
Pluvialis squatarola, 201–214
Podager nacunda, 307–338
Poecilurus scutatus, 247–262
Polioptila caerulea, 215–231, 515–530
Polioptila dumicola, 247–262
Polioptila guianensis, 307–338
Polyborus plancus, 307–338
 Polydesmida, 285–286
Polysticus superciliaris, 477–489
 Ponce de Leon, A., 433–440
Poospiza melanoleuca, 247–262
 Population decline, 15–22
 Population size, 15–22
 Population, 15–22, 145–156, 195–200
Porphyryla martinica, 307–338
 Portas, C., 545–548
Porzana albicollis, 233–246
 Potential habitats, 29–38
 Predation risk, 47–65
 Predation, 541–543
Premnoplex brunnescens, 67–78
Premnornis guttuligera, 67–78
 Prey, 419–422
 Price, E. R., 535–539
 Primavera, 215–231
Primolius auricollis, 247–262
Priotelus temnurus, 215–231
Progne chalybea, 233–246, 307–338
Progne subis, 233–246
Progne tapera, 247–262
Psarocolius bifasciatus, 307–338
Psarocolius decumanus, 247–262, 307–338
Psarocolius viridis, 307–338
Pseudocolaptes boissonneantii, 67–78
Pseudocolaptes lawrencii, 67–78
Pseudoleistes guiraburo, 233–246
Pseudoseisura lophotes, 247–262
Pseudotriccus pelzelni, 67–78
 Psittacidae, 345–351
Psitticimex uritui, 415–418
Psophia viridis, 307–338
Pteroglossus aracari, 307–338
Pteroglossus bitorquatus, 307–338
Pteroglossus inscriptus, 307–338
Pteroptochos tarnii, 121–125
 Puerto Rican Bullfinch, 91–98
 Puerto Rico, 91–98
Pulsatrix koeniswaldiana, 233–246
Pulsatrix perspicillata, 247–262, 307–338
 Punta de Manabique, 127–128
 Purple Martin, 233–246
 Purple-throated Euphonia, 233–246 , 247–262
 Purplish Jay, 35, 247–262
 Purplish-mantled Tanager, 67–78
Pygarrhichas albogularis, 353–362
Pygiptila stellaris, 307–338
Pyriglena leuconota, 247–262, 307–338
Pyriglena leucoptera, 233–246, 397–403
Pyrocephalus rubinus, 247–262, 515–530
Pyrrhocomma ruficeps, 233–246
Pyrrhura molinae, 247–262
Pyrrhura picta, 307–338
 Querequeté, 215–231
Querula purpurata, 307–338
Quiscalus mexicanus, 515–530
Quiscalus niger, 215–231
 Rabuítá, 215–231
 Rain forest, 47–65
 Rainfall, 371–380

- Rallus nigricans*, 233–246
 Ramírez, B., 423–429
Ramphastos toco, 35, 233–246, 247–262
Ramphastos vitellinus, 307–338
Ramphastos tucanus, 307–338
Ramphocaenus melanurus, 47–65, 307–338
Ramphocelus carbo, 233–246, 307–338, 363–370
Ramphocelus passerini, 363–370
Ramphocelus sanguinolenta, 363–370
Ramphotrigon ruficauda, 307–338
 Range, 145–156
 Rascón Cuellirrufo, 127–128
 Rayadito, 353–362
Recurvirostra americana, 39–46, 201–214
 Red-billed Scythebill, 247–262
 Red-crested Cardinal, 247–262
 Red-crested Finch, 233–246, 247–262
 Red-crowned Ant-Tanager, 233–246, 397–403
 Red-eyed Vireo, 233–246, 247–262, 397–403
 Red-faced Spinetail, 67–78
 Red-legged Seriema, 233–246
 Red-shouldered Macaw, 35
Reinarda squamata, 307–338
 Reproduction, 29–38
 Reproductive success, 29–38, 339–343
 Reyes, E., 215–231
Rhagmatorhina gymnops, 307–338
 Rhinocryptidae, 121–125
Rhynchocyclus olivaceus, 47–65, 307–338
Rhytipterna simplex, 307–338
 Richards' model, 295–305
 Ringed Kingfisher, 233–246, 247–262
 Ringed Teal, 247–262
Riparia riparia, 39–46, 247–262
 Ritter, 433–440
 Rivero, R., 545–548
 Rivers, 269–273
 Roadside Hawk, 233–246, 247–262, 282
 Robbins, M. B., 247–262
 Robust Woodpecker, 233–246
 Rocha, 117–119
 Rodríguez-Ferraro, A., 345–351
 Roost, 79–89
 Roosting, 270–283
 Roper, J. J., 1–14
 Roseate Spoonbill, 247–262
Rostrhamus sociabilis, 247–262, 515–530
 Royal Tern, 39–46
 Ruby-crowned Tanager, 233–246
 Ruby-throated Hummingbird, 39–46
 Ruddy Foliage-gleaner, 47–65
 Ruddy Ground-Dove, 233–246, 247–262
 Ruddy-headed Goose, 15–22
 Ruddy-tailed Flycatcher, 47–65
 Rufescent Tiger-Heron, 247–262
 Rufous Casiornis, 247–262
 Rufous Gnatcatcher, 233–246, 397–403
 Rufous Hornero, 233–246
 Rufous Motmot, 233–246, 289–294
 Rufous Nightjar, 233–246, 247–262
 Rufous-bellied Antwren, 47–65
 Rufous-bellied Thrush, 233–246, 247–262
 Rufous-breasted Leafscraper, 233–246
 Rufous-browed Peppershrike, 233–246, 247–262, 371–380, 397–403
 Rufous-capped Antshrike, 233–246
 Rufous-capped Spinetail, 233–246
 Rufous-collared Sparrow, 233–246, 247–262
 Rufous-crested Tanager, 67–78
 Rufous-fronted Thornbird, 247–262
 Rufous-headed Tanager, 233–246
 Rufous-necked Wood-rail, 127–128
 Rufous-rumped Antwren, 67–78
 Rufous-rumped Foliage-gleaner, 47–65
 Rufous-tailed Jacamar, 233–246
 Rufous-thighed Kite, 233–246
 Rufous-throated Tanager, 67–78
 Rufous-winged Antwren, 233–246
 Ruiseñor, 215–231
Rupicola peruviana, 263–265
Rupornis magnirostris, 307–338
 Rusty-backed Antwren, 233–246
 Rusty-collared Seedeater, 247–262
 Rusty-margined Guan, 233–246
 Rusty-winged Barbtail, 67–78
Rynchops niger, 39–46
 Sabanero, 215–231
 Saffron Finch, 247–262
 Saffron-billed Sparrow, 233–246, 247–262
 Saffron-crowned Tanager, 67–78
Saltator atricollis, 233–246

- Saltator aurantiirostris*, 247–262
Saltator coerulescens, 247–262, 515–530
Saltator maximus, 307–338
Saltator similis, 233–246, 247–262
Saltatricula multicolor, 247–262
 San Onofre, 263–265
 Sánchez, B., 215–231
 Sánchez, R., 215–231
 Sandwich Tern, 39–46
 Santa Fe, 499–513
 Santander, T., 107–111
 Santiago-Alarcón, D., 515–530
 Sanz, V., 345–351
 São Paulo, 233–246
 Sap feeding, 531–533
 Sapphire-spangled Emerald, 233–246
 Sarasola, J. H., 419–422
Sarcorambus papa, 233–246, 247–262, 307–338
Satrappa icterophrys, 233–246
Saurothera m. merlini, 215–231
 Savanna Hawk, 233–246, 247–262
 Sayaca Tanager, 233–246, 247–262, 282
 Scale-backed Antbird, 47–65
 Scaled Dove, 233–246, 282
 Scaly-headed Parrot, 233–246, 282
Scaphidura oryzivora, 307–338
Scardafella squammata, 247–262
 Scarlet Macaw, 381–396
Sceloporus rubecula, 121–125
Schiffornis turdinus, 307–338
Schistocichla leucostigma, 307–338
Schoeniophylax phryganophila, 247–262
 Schrub, 215–231
 Schuchmann, K.-L., 156–171
 Scimitar-billed Woodcreeper, 247–262
 Scissor-tailed Flycatcher, 39–46
 Scissor-tailed Nightjar, 233–246, 282
Sclateria naevia, 307–338
Sclerurus caudacutus, 307–338
Sclerurus mexicanus, 307–338
Sclerurus rufifularis, 307–338
Sclerurus scansor, 233–246
 Scrub Greenlet, 371–380
Scytalopus magellanicus, 121–125
 Seasonal use, 201–214
 Seasonal variation, 195–200
Seiurus aurocapillus, 215–231, 515–530
Seiurus motacilla, 215–231
Seiurus noveboracensis, 515–530
Selenidera gouldii, 307–338
 Self-anointing, 285–286
 Semicollared Nighthawk, 233–246
 Señorita de Monte, 215–231
 Señorita de Río, 215–231
Sephanoides sephanioides, 531–533
 Sepia-capped Flycatcher, 233–246, 397–403
Serpophaga griseiceps, 247–262
Serpophaga subcristata, 233–246, 247–262
Setophaga ruticilla, 215–231, 515–530
 Sex determination, 433–440
 Sex ratio, 433–440
 Sexual dimorphism, 433–440
 Sharp-shinned Hawk, 233–246
 Sharp-tailed Streamcreeper, 233–246
 Shear-tailed Gray-Tyrant, 233–246
 Shiny Cowbird, 233–246, 247–262, 282
 Shorebirds, 201–214
 Short-billed Dowitcher, 39–46
 Short-crested Flycatcher, 233–246
 Short-tailed Hawk, 233–246
Sicalis flaveola, 247–262
 Sick's Swift, 247–262
 Siguapa, 215–231
 Sijú Cotunto, 215–231
 Sijú Platanero, 215–231
 Silver-beaked Tanager, 233–246
 Sinsonte, 215–231
Sirystes sibilator, 233–246
 Sirystes, 233–246
Sittasomus griseicapillus, 233–246, 247–262, 307–338, 545–548
 Slater, P. J. B., 339–343
 Slate-throated Whitestart, 67–78
 Slaty Antshrike, 1–14
 Slaty Elaenia, 371–380
 Slaty Thrush, 233–246
 Slaty-breasted Tinamou, 289–294
 Slaty-breasted Wood-Rail, 233–246
 Small-billed Elaenia, 233–246, 247–262, 371–380
 Small-billed Tinamou, 233–246

- Smooth-billed Ani, 233–246, 247–262, 282
 Snail Kite, 247–262
 Snowy Cotinga, 127–128
 Snowy Egret, 247–262
 Social Flycatcher, 233–246
 Solibio, 215–231
 Solitary Cacique, 247–262
 Solitary Sandpiper, 247–262
 Sombre Hummingbird, 233–246
 Song display, 491–497
 Song recording, 99–105
 Sooty Grassquit, 233–246
 Sooty Swift, 233–246
 Sooty-fronted Spinetail, 233–246, 247–262
 Southern Beardless-Tyrannulet, 233–246, 247–262
 Southern Caracara, 247–262
 Southern Lapwing, 233–246, 247–262
 Southern Rough-winged Swallow, 233–246, 247–262
 Southern Screamer, 247–262
 Southern Scrub-Flycatcher, 247–262
 Speciation, 363–370
 Species richness, 515–530
 Specimen data, 491–497
 Specimens, 549–552
 Spectacled Foliage-gleaner, 67–78
 Spectacled Owl, 247–262
 Spectacled Tyrant, 247–262
Sphyrapicus varius, 215–231
Spindalis zena, 215–231
 Spix' Spinetail, 233–246
Spiza americana, 39–46
Spizaetus ornatus, 307–338
Spizaetus tyrannus, 307–338
Spizastur melanoleucus, 307–338
Sporophila caeruleascens, 233–246, 247–262, 307–338
Sporophila collaris, 247–262
Sporophila leucoptera, 247–262
Sporophila nigricollis, 307–338
Sporophila torqueola, 515–530
Sporophila zelichi, 117–119
 Spot-backed Antbird, 47–65
 Spot-backed Antshrike, 233–246
 Spot-crowned Woodcreeper, 67–78
 Spotted Barbtail, 67–78
 Spotted Nothura, 233–246
 Spot-winged Antbird, 47–65
 Squirrel Cuckoo, 233–246, 247–262
 St. Kitts, 91–98
 Staus, N. L., 269–273
Stelgidopteryx ruficollis, 233–246, 247–262, 307–338
Stelgidopteryx serripennis, 215–231
Sterculia apetala, 29–38
Sterna caspia, 39–46
Sterna elegans, 39–46
Sterna forsteri, 39–46
Sterna hirundo, 39–46
Sterna maxima, 39–46
Sterna nilotica, 39–46
Sterna paradisaea, 39–46
Sterna sandvicensis, 39–46
Stigmatura budytoides, 247–262
 Stilt Sandpiper, 39–46
 Streak-capped Treehunter, 67–78
 Streaked Flycatcher, 233–246, 247–262
 Streaked Tuftedcheek, 67–78
 Streaked Xenops, 233–246, 247–262
 Streak-necked Flycatcher, 67–78
 Streamer-tailed Tyrant, 233–246
Streptoprocne zonaris, 233–246, 545–548
 Striated Heron, 247–262
 Stripe-backed Antbird, 247–262
 Stripe-breasted Starthroat, 233–246
 Stripe-crowned Spinetail, 247–262
 Striped Cuckoo, 233–246, 247–262
 Striped Woodpecker, 353–362
Strix chacoensis, 247–262
 Strong-billed Woodcreeper, 285–286
Sturnella magna, 215–231, 515–530
Sturnella supercilialis, 247–262
Sublegatus modestus, 247–262
 Succession, 233–246
Suiriri suiriri, 247–262
 Sulphur-rumped Flycatcher, 47–65
 Surucua Trogon, 233–246
 Survey, 269–273
 Swainson's Flycatcher, 233–246, 247–262, 371–380
 Swainson's Hawk, 39–46, 233–246

- Swainson's Thrush, 541–543
 Swallow-tailed Cotinga, 233–246
 Swallow-tailed Hummingbird, 233–246
 Swallow-tailed Kite, 247–262
 Swallow-tailed Manakin, 233–246
 Swallow-Tanager, 67–78, 233–246
 Sympatry, 173–194
Synallaxis albescens, 233–246, 247–262
Synallaxis albilora, 247–262
Synallaxis erythroborax, 515–530
Synallaxis frontalis, 233–246, 247–262
Synallaxis gujanensis, 307–338
Synallaxis ruficapilla, 233–246
Synallaxis rutilans, 307–338
Synallaxis spixi, 233–246
Syndactyla subalaris, 67–78
Syndactyla guttulata, 545–548
Syrigma sibilatrix, 233–246, 247–262
Tachornis phoenicobia iradii, 215–231
Tachycineta albiventer, 307–338
Tachycineta bicolor, 215–231
Tachycineta leucorrhoa, 233–246, 247–262
Tachyphonus coronatus, 233–246
Tachyphonus cristatus, 307–338
Tachyphonus luctuosus, 307–338
Tachyphonus rufus, 247–262, 307–338
Tachyphonus surinamus, 47–65, 307–338
Thamnophilus atrinuca, 1–14
Tangara arthus, 67–78, 545–548
Tangara cayana, 233–246, 270–283
Tangara heinei, 67–78, 545–548
Tangara labradorides, 67–78
Tangara mexicana, 307–338
Tangara meyerdeschauenseei, 411–414
Tangara nigroviridis, 67–78
Tangara parzudakii, 67–78
Tangara pulcherrima, 67–78
Tangara punctata, 307–338
Tangara ruficervix, 67–78
Tangara rufigula, 67–78
Tangara velia, 307–338
Tangara xanthocephala, 67–78
 Tapajós National Forest, 307–338
Tapera naevia, 233–246, 247–262, 307–338, 515–530
Taraba major, 233–246, 247–262, 307–338
 Tarroux, A., 371–380
 Tataupa Tinamou, 247–262
 Tawny-browed Owl, 233–246
 Tawny-crowned Pygmy-Tyrant, 233–246, 247–262, 371–380
 Taxonomic status, 91–98
 Taxonomy, 156–171
Terentriccus erythrurus, 47–65, 307–338
Terenura callinota, 67–78
Teretistris fornsi, 215–231
 Terra firme forest, 307–338
 Territoriality, 121–125
Tersina viridis, 67–78, 233–246
Thalurania furcata, 307–338
Thalurania glaucopsis, 233–246
Thamnomanes ardesiacus, 47–65
Thamnomanes caesius, 47–65, 307–338
Thamnophilus aethiops, 307–338
Thamnophilus amazonicus, 47–65
Thamnophilus caerulescens, 233–246, 247–262, 397–403
Thamnophilus doliatus, 233–246, 247–262, 515–530
Thamnophilus murinus, 47–65
Thamnophilus ruficapillus, 233–246
Thamnophilus schistaceus, 307–338
Thamnophilus sticturus, 247–262
Theristicus caerulescens, 247–262
Theristicus caudatus, 233–246
 Thiollay, J.-M., 47–65
Thlypopsis sordida, 233–246, 247–262
 Thorn forest, 515–530
 Thorn-tailed Rayadito, 353–362
Thraupis cyanocephala, 67–78
Thraupis episcopus, 307–338
Thraupis palmarum, 307–338, 545–548
Thraupis sayaca, 233–246, 247–262, 282
 Three-striped Warbler, 67–78
Threnetes leucurus, 307–338
Thripadectes ignobilis, 67–78
Thripadectes virgaticeps, 67–78
 Thrushes, 433–440
Thryothorus coraya, 47–65, 307–338
Thryothorus guarayanus, 247–262
Thryothorus leucotis, 307–338
Thryothorus maculipectus, 515–530

- Thryothorus modestus*, 339–343
 Thurber, W. A., 99–105
Tiaris bicolor, 371–380
Tiaris canora, 215–231
Tiaris fuliginosa, 233–246
Tiaris olivacea, 215–231, 247–262
 Tide level, 201–214
 Tierra de Fuego, 15–22
Tigrisoma lineatum, 247–262
 Tilarán, 195–200
 Tinamú de Darwin, 173–194
 Tinamú Pisacca, 173–194
Tinamus guttatus, 307–338
Tinamus major, 289–294
Tinamus tao, 307–338
 Tinto, 515–530
Tityra cayana, 233–246, 307–338
Tityra inquisitor, 233–246, 307–338
Tityra semifasciata, 307–338
 Toco Toucan, 35, 233–246, 247–262
 Toco-ro, 215–231
Todirostrum cinereum, 233–246, 515–530
Todirostrum poliocephalum, 233–246
Todirostrum sylvia, 545–548
Todus multicolor, 215–231
 Tojosa, 215–231
Tolmomyias assimilis, 307–338
Tolmomyias poliocephalus, 307–338
Tolmomyias sulphurescens, 233–246, 247–262, 307–338
 Tomeguín de la Tierra, 215–231
 Tomeguín del Pinar, 215–231
Topaza pella, 307–338
 Torcaza Cuellimorada, 215–231
 Torres-Mura, J. C., 113–115
 Totí, 215–231
 Townsend Peterson, A., 247–262
 Trejo, A., 353–362
Trichothraupis melanops, 233–246, 397–403
 Tricolored Brush-finch, 67–78
Tringa flavipes, 201–214, 247–262
Tringa melanolenca, 201–214, 247–262
Tringa solitaria, 247–262
 Trochilidae, 156–171
Troglodytes aedon, 233–246, 247–262, 307–338
Troglodytes solstitialis, 67–78
Trogon curucui, 247–262
Trogon melanocephalus, 515–530
Trogon melanurus, 307–338
Trogon personatus, 67–78
Trogon rufus, 307–338
Trogon surrucura, 233–246
Trogon violaceus, 307–338
Trogon viridis, 47–65, 307–338
 Tropical Kingbird, 233–246, 247–262
 Tropical Parula, 67–78, 233–246, 247–262
 Tropical Pewee, 233–246
 Tropical Screech-Owl, 233–246, 247–262
 Tropics, 371–380
 Tufted Antshrike, 233–246
Turdus albicollis, 233–246, 307–338, 433–430
Turdus amaurochalinus, 233–246, 247–262
Turdus leucomelas, 233–246, 282
Turdus nigriceps, 233–246
Turdus olivater, 545–548
Turdus plumbeus, 215–231
Turdus rufiventris, 233–246, 247–262
 Turkey Vulture, 247–262
 Turquoise-fronted Parrot, 233–246
Tyrannetes stolzmanni, 307–338
 Tyrannine Woodcreeper, 67–78
Tyrannulus elatus, 307–338
Tyrannus caudifasciatus, 215–231
Tyrannus dominicensis, 215–231
Tyrannus forficatus, 39–46
Tyrannus melancholicus, 233–246, 247–262, 307–338, 515–530
Tyrannus savana, 233–246, 247–262
Tyrannus verticalis, 39–46
Tyto alba, 233–246
 Ultramarine Grosbeak, 233–246, 247–262
 Undulated Tinamou, 247–262
 Uniform Treehunter, 67–78
 Upland Sandpiper, 233–246, 247–262
 Uruguay, 117–119
 Uso estacional, 201–214
 Valdez, U., 267–268
Vanellus chilensis, 233–246, 247–262
 Variable Antshrike, 233–246, 247–262, 397–403
 Variegated Flycatcher, 233–246, 247–262
 Vaughan, C., 381–396

- Vegetation, 1–14
 Vencejito de Palma, 215–231
 Venezuela, 345–351, 371–380, 545–548
Veniliornis affinis, 307–338
Veniliornis dignus, 67–78
Veniliornis passerinus, 233–246, 247–262
 Vergara R., R. , 441–467
 Vermilion Flycatcher, 247–262
Vermivora pinus, 515–530
 Versicolored Emerald, 233–246
 Vigilance, 47–65
 Violaceous Euphonia, 233–246
 Violet-capped Woodnymph, 233–246
Vireo altiloquus, 215–231
Vireo griseus, 515–530
Vireo gundlachii, 215–231
Vireo leucophrys, 67–78
Vireo olivaceus, 233–246, 247–262, 307–338, 397–403
Vireolanus leucotis, 307–338
 Vocalizations, 491–497
 Vogel, C. J., 129–131
Volatinia jacarina, 233–246, 247–262, 307–338
 Vous, K. H., 133–139
 Vulnerability, 47–65
 Vulnerable species, 145–156
 Wandering Tattler, 39–46
 Warbling Antbird, 47–65
 Wattel, J., 133–139
 Wattled Jacana, 247–262
 Weast, E. F., 269–273
 Wedge-billed Woodcreeper, 47–65, 67–78
 Wedge-tailed Grass-Finch, 233–246
 Weldon, P. J., 285–286
 Weller, A.-A., 156–171
 West Peruvian Screech-owl, 107–111
 Western Kingbird, 39–46
 Whistling Heron, 233–246, 247–262
 White Hawk, 541–543
 White Ibis, 39–46
 White Woodpecker, 233–246, 247–262
 White-backed Fire-Eye, 233–246, 247–262
 White-barred Piculet, 247–262
 White-bellied Antpitta, 535–539
 White-bellied Seedeater, 247–262
 White-bellied Warbler, 233–246
 White-breasted Wood–Wren, 289–294
 White-browed Blackbird, 247–262
 White-chested Puffbird, 47–65
 White-collared Foliage-gleaner, 397–403
 White-collared Seedeater, 117–119
 White-collared Swift, 233–246
 White-crested Elaenia, 233–246
 White-crested Pygmy-Tyrant, 233–246
 White-crested Tyrannulet, 247–262
 White-crowned Pigeon, 127–128
 White-eared Puffbird, 233–246
 White-eyed Foliage-Gleaner, 233–246
 White-eyed Parakeet, 233–246, 247–262
 White-flanked Antwren, 47–65
 White-fringed Antwren, 371–380
 White-fronted Woodpecker, 247–262
 White-lined Tanager, 247–262
 White-lored Spinetail, 247–262
 White-naped Xenopsaris, 247–262
 White-necked Thrush, 233–246, 433–440
 White-rumped Monjita, 233–246
 White-rumped Sandpiper, 247–262
 White-rumped Swallow, 233–246, 247–262
 White-shouldered antbird, 423–429
 White-shouldered Fire-eye, 397–403
 White-tailed Hawk, 39–46, 233–246, 247–262
 White-tailed Kite, 233–246
 White-tailed Trogon, 47–65
 White-throated Hummingbird, 233–246
 White-throated Spadebill, 67–78, 233–246
 White-throated Treerunner, 353–362
 White-tipped Dove, 79–89, 233–246, 247–262
 White-vented Violetear, 233–246
 White-winged Becard, 67–78, 233–246
 White-winged Dove, 39–46
 Wiley, J. W., 91–98, 133–139
 Willig, M. R. , 307–338
 Willis, E. O., 233–246, 279–283, 549–552
Wilsonia citrina, 515–530
 Wood Stork, 247–262
 Woodlot after fire, 233–246
 Wulfmeyer, E., 156–171
 Wunderle, J. M., Jr. , 307–338
Xenops milleri, 307–338
Xenops minutus, 47–65, 307–338

- Xenops rutilans*, 233–246, 247–262
Xenopsaris albinucha, 247–262
Xiphidiopicus percussus, 215–231
Xiphocolaptes major, 247–262
Xiphocolaptes promeropirhynchus, 285–286, 307–338
Xipholena lamellipennis, 307–338
Xiphorhynchus flavigaster, 515–530
Xiphorhynchus guttatus, 307–338
Xiphorhynchus pardalotus, 47–65
Xiphorhynchus picus, 307–338
Xiphorhynchus spixii, 307–338
Xolmis velata, 233–246
 Yellow-bellied Elaenia, 233–246
 Yellow-billed Cardinal, 247–262
 Yellow-billed Cuckoo, 233–246
 Yellow-billed Jacamar, 47–65
 Yellow-browed Tyrant, 233–246
 Yellow-chevroned Parakeet, 247–262
 Yellow-chinned Spinetail, 247–262
 Yellow-collared Chlorophonia, 67–78
 Yellow-collared Macaw, 247–262
 Yellow-headed Caracara, 233–246, 247–262
 Yellowish Pipit, 233–246, 247–262
 Yellow-olive Flycatcher, 233–246, 247–262
 Yellow-rumped Marshbird, 233–246
 Yellow-shouldered Parrot, 345–351
 Yellow-vented Woodpecker, 67–78
 Zamora-Orozco, M., 201–214
 Zarapito Pico Largo, 201–214
 Zarapito Trinador, 201–214
 Zavalaga, C., 469–475
Zenaida asiatica, 39–46, 215–231, 515–530
Zenaida auriculata, 79–89, 233–246, 247–262
Zenaida aurita, 215–231
Zenaida macroura, 39–46, 215–231
Zimmerius gracilipes, 307–338
Zimmerius viridiflavus, 67–78
 Zone-tailed Hawk, 39–46
Zonotrichia capensis, 233–246, 247–262
 Zorzal Gato, 215–231
 Zorzal Real, 215–231
 Zunzún, 215–231
 Zunzuncito, 215–231
 Zyskowski, K., 247–262

Reviewers for *Ornitología Neotropical*, Volume 14

Each manuscript submitted for publication in *Ornitología Neotropical* is generally reviewed by two specialists, often including a member of the editorial board, and frequently by a third one. The following individuals kindly reviewed one or more (*) manuscripts for Volume 14: Richard J. Adams, Jorge Ajumada, Allison V. Andors, Vanessa L. Artman, Guy Beauchamp, Keith L. Bildstein, Robert E. Bleiweiss, Donald Brightsmith*, Daniel M. Brooks, Kevin J. Burns, James Collazo, Carlos A. Darrieu, Noemi B. de Speroni, Adrián Di Giacomo, John Faaborg, Jon Fjeldså, Carla S. Fontana, A. B. Hennessey, Elisabeth Höfling, Baz Hughes, Kevin Johnson, Fabián Jaksic, Leo Joseph*, J. R. Karr, Gustavo Kattan*, David I. King, A. W. Kratter, Tom A. Langen, François-Joseph Lapointe, Bette A. Loiselle, Miguel Marini, Jeffrey S. Marks, Raymond

McNeil*, Todd J. McWhorter, J. Michael Meyers, R. I. Guy Morrison, Eugene P. Morton*, Sergio Gustavo Mosa, Joachim L. Navarro, Manuel Nores, Fabio Olmos, Yoshica Oniki, Ulysse Pardiñas, Juan Luis Parra, Brigitte Poulin, John H. Rappole*, Stephen M. Russell, Thomas S. Schulenberg*, Luis Fabio Silveira*, Neal G. Smith, F. Gary Stiles, Philip C. Stouffer, M. B. Swartz, Marc Théry, Jean-Marc Thiollay, Russell Thorstrom, Diana F. Tomback, J. van Remsen, François Vuilleumier*, Bret M. Whitney, David F. Whitacre, James W. Wiley*, Edwin O. Willis*, Kevin Winker*, Kristof Zyskowski*. The abstracts were kindly corrected by Cristina Yumi Miyaki for the Portuguese, and by Elisa Bonaccorso and Diego Montalti for the Spanish.